

# SAFETY DATA SHEET

## SECTION I - PRODUCT IDENTIFICATION

**PRODUCT NAME:** EP 719 Part B  
**PRODUCT CLASS:** Amine  
**COMPANY NAME:** INNOVATIVE RESIN SYSTEMS, INC.  
257 WILSON AVENUE  
NEWARK, NJ 07105  
973-465-6887

**PRODUCT CODE:** 719-B  
**CAS NUMBER:** None

**FOR EMERGENCY ASSISTANCE  
CONTACT CHEMTREC  
AT 1-800-424-9300**

## SECTION II - HAZARDS IDENTIFICATION

In accordance with 29 CFR 1910.1200

### GHS Classification:

Skin corrosion Category 1B  
Skin sensitization , Category 1  
Serious eye damage/eye irritation Category 1

### GHS Label Elements Pictograms



Signal Word : Danger

### Hazard Statements:

H314 Causes severe skin burns and eye damage  
H317 May cause an allergic skin reaction

### Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash...thoroughly after handling  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 IF SWALLOWED:  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 Rinse mouth.  
P331 Do NOT induce vomiting.  
P303 IF ON SKIN:  
P361 Remove/Take off immediately all contaminated clothing.  
P353 Rinse skin with water/shower.  
P304 IF INHALED:  
P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 IF IN EYES:  
P351 Rinse cautiously with water for several minutes.

- P338 Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P333 If skin irritation or rash occurs:
- P313 Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container according to Federal state/Provincial and local government regulations.

**SECTION III - COMPOSITION / INFORMATION ON INGREDIENTS**

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>Weight</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>
NJTSRN-EP719-B	--	--	--	--

**SECTION IV - FIRST AID MEASURES**

- SKIN CONTACT :** Immediately remove contaminated clothing or shoes, wipe excess from skin and flush with plenty of water for at least 15 minutes. Use soap if available or follow by washing with soap and water. Do not reuse clothing until thoroughly cleaned.
- EYE CONTACT :** Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open and seek medical attention.
- INHALATION :  
respiration** Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial if not breathing and seek medical help immediately. Turn victims head to the side.
- INGESTION :** In the event of ingestion, administer 1 glass of water. Do not induce vomiting and get medical help immediately.

**SECTION V - FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** In case of large fire use: Water Spray, Alcohol Foam. In case of small fires, use Carbon dioxide, Dry Chemical, dry sand or limestone.

**SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS :** Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by fire fighters. Do not enter a confined space without full bunker gear, including a positive pressure NIOSH approved self-contained breathing apparatus. During fire, irritating and toxic gases may be generated by thermal decomposition or combustion.

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

**SPILL OR LEAK PROCEDURES:** Remove all sources of ignition and ventilate the area. Dike and contain spilled material and control further spillage if feasible. Cover spill with clay, sand, saw dust, vermiculite, Fuller's earth or other suitable absorbent. Collect material in non-leaking containers and seal tightly for disposal. Refer to section 13 for disposal information.

**SECTION VII - HANDLING AND STORAGE**

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing. Employee education and training in the safe use and handling of this material are required under the OSHA Hazard communication standard. Use with adequate ventilation.

**STORAGE:** Store indoors in a cool dry place away from heat, sparks and flame. Keep containers tightly closed when not in use. Keep away from acids and oxidizers. Do not store in an iron or other reactive metal containers.

---

## SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

---

**EYE PROTECTION:** Safety glasses, splash goggles or face shield. Contact lenses should not be worn.

**SKIN PROTECTION:** Avoid contact with skin and clothing. Use chemical resistant protective gloves such as neoprene rubber gloves, nitrile rubbers gloves, cuffed butyl rubber gloves and other impermeable gloves.

**RESPIRATORY PROTECTION:** Avoid breathing vapors which may be produced under some conditions such as heating or applications. Avoid breathing aerosols and mists. Use NIOSH / MSHA approved respiratory protection equipment when airborne exposure is excessive. Observe OSHA regulations for respirator use (29 CFR 1910.134).

**VENTILATION :** Hazard control from vapor or spray mist is ideally performed by the use of engineering controls. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

---

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

---

**PHYSICAL FORM:** Liquid  
**COLOR:** Amber  
**BOILING POINT:** >200°C  
**VAPOR DENSITY:** >1 (air = 1)  
**SPECIFIC GRAVITY:** 0.97  
**VAPOR PRESSURE:** Not available  
**SOLUBILITY:** insoluble  
(In water)  
**EVAPORATION RATE :** Not available  
(n Butyl Acetate = 1)  
**FLASH POINT :** >200°F ( PMCC)  
**FLAMMABILITY LIMITS:** UEL % Not established  
LEL % Not established  
**AUTO IGNITION TEMP. :** not known

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guarantee analysis of any specific lot or as specifications for the product.

---

## SECTION X - STABILITY AND REACTIVITY

---

**STABILITY:** Product is stable under normal conditions of storage and handling.

**MATERIALS TO AVOID :** Lewis or mineral acids, Organic bases such as primary and secondary aliphatic amines, Ketones, Aldehydes, oxidizing agents. A reaction accompanied by large heat release occur when the product is mixed with acids.

**HAZARDOUS POLYMERIZATION :** Will not occur.

**DECOMPOSITION PRODUCTS :** By heat and fire: Carbon dioxide, carbon monoxide. Ammonia when heated. Nitrogen oxide in the fire. Nitrogen oxide can react with water vapors to form corrosive nitric acid

---

## SECTION XI - TOXICOLOGICAL INFORMATION

---

**Acute Oral Toxicity ( LD50, Rat) :** >5,000 mg/kg (estimates)  
**Acute dermal Toxicity ( LC50, Rat):** >5,000 mg/kg (estimates)  
**Chronic Data:** No delayed, subchronic or chronic test data are known

---

## SECTION XII - ECOLOGICAL INFORMATION

---

Data not available.

---

## SECTION XIII - DISPOSAL CONSIDERATIONS

---

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Incineration is the preferred method. Empty containers must be handled with care due to product residue. Do not heat or cut empty containers with electric or gas torch.

---

## SECTION XIV - TRANSPORTATION INFORMATION

---

**PROPER SHIPPING NAME :** Amines, Liquid Corrosive, N.O.S.

**HAZARD CLASS or DIVISION:** 8 Corrosive

**UN / NA Number :** UN 2735

**PACKING GROUP :** PG II

**DOT PRODUCT RQ, Lb.** None

**HAZARD LABEL(S) :** 8 Corrosive

**HAZARD PLACARD(S) :** Corrosive

---

## SECTION XV - REGULATORY INFORMATION

---

**TSCA STATUS:** All ingredients in this products are listed in the T.S.C.A. inventory.

**CERCLA REPORTABLE QUANTITY:** None

**SARA TITLE III:**

**SECTION 302 EXTREMELY HAZARDOUS SUBSTANCE :** None

**SECTION 311/312 HAZARD CATEGORIES:** None

**SECTION 313 TOXIC CHEMICALS :** None

**RCRA :**

It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. ( 40 CFR 261.20-24).

---

## SECTION XVI - OTHER INFORMATION

---

**HMIS RATINGS:** Health 3 Flammability 1 Reactivity 0

**REASON FOR ISSUE :** Initial issuance of new product.

---